

GLASS POOL FENCING

POOL SAFETY

All fencing is constructed to Australian Swimming Pool Safety Standards AS1926.1.

GLASS

Glass used is 12mm thick safety glass manufactured to Australian Standards.

ENDUROSHIELD

All quotes include the application of EnduroShield to glass. *“EnduroShield is an ultra-thin transparent coating that completely adheres to the glass surface and provides protection that will repel both water and oil based stains”.*

<http://www.enduroshield.com/aus/products/glass-coating.aspx>

SEMI-FRAMELESS (with Posts)

Select from painted aluminium posts where the glass slides in.


Or stainless steel posts with stainless glass clamps and gate fittings.



Aluminium posts

Posts can be core-drilled into existing concrete or concreted into the ground if there is nothing currently on the floor.

All stainless steel parts are 316 marine grade.



Stainless posts and clamps



FRAMELESS (without Posts)

Frameless glass fencing is secured using spigots.

These can be core drilled into the ground, bolted down or attached to the front of a wall



All stainless steel parts are 316 marine grade.

SPIGOTS



Round in ground



Square in ground



Square bolted down



Round bolted down

21B / 37 Warman Mews, Neerabup, 6031
Ph/Fax: 9402 2331
Mobile: 0419 138 262
Email: atrhodes@optusnet.com.au
www.atmetalworks.com.au

A&T MetalWorks

ABN 91 314 287 269

GLASS GATES

